

**Definitions and Formulas for Multi-Subject: Secondary Teachers
(Grade 7–Grade 12) Part Two: Mathematics**

ALGEBRA

Quadratic Formula: $x = \frac{-b \pm \sqrt{b^2 - 4ac}}{2a}$

TRIGONOMETRY

$$\sin A = \frac{\text{opposite}}{\text{hypotenuse}}$$

$$\cos A = \frac{\text{adjacent}}{\text{hypotenuse}}$$

$$\tan A = \frac{\text{opposite}}{\text{adjacent}}$$

GEOMETRY

Pythagorean Theorem: $a^2 + b^2 = c^2$

Area of a Triangle: $A = \frac{1}{2}ab$

Area of a Trapezoid: $A = \frac{1}{2}h(b_1 + b_2)$

Area of a Circle: $A = \pi r^2$

Lateral Area of a Right Circular Cylinder: $L = 2\pi rh$

Lateral Area of a Right Circular Cone: $L = \pi rl$ where l is the slant height

Surface Area of a Rectangular Prism: $SA = 2lw + 2hw + 2lh$

Surface Area of a Cylinder: $SA = 2\pi r^2 + 2\pi rh$

Surface Area of a Sphere: $SA = 4\pi r^2$

Volume of a Cylinder: $V = \pi r^2 h$

Volume of a Pyramid: $V = \frac{1}{3}Bh$ where B is the area of the base

Volume of a Right Circular Cone: $V = \frac{1}{3}\pi r^2 h$

Volume of a Sphere: $V = \frac{4}{3}\pi r^3$

COORDINATE GEOMETRY

Slope of a Line: $m = \frac{\Delta y}{\Delta x} = \frac{y_2 - y_1}{x_2 - x_1}$

Distance Formula: $d = \sqrt{(x_2 - x_1)^2 + (y_2 - y_1)^2}$

Midpoint Formula: $\left(\frac{x_1 + x_2}{2}, \frac{y_1 + y_2}{2} \right)$

Sum of a Finite Arithmetic Series: $S_n = \frac{n(a_1 + a_n)}{2}$

Sum of a Finite Geometric Series: $S_n = \frac{a_1(1 - r^n)}{1 - r}$

